2025 IEEE International Conference on Interdisciplinary Approaches in Technology and Management for Social Innovation (IATMSI) | 979-8-3315-2169-1/25/$31.00 ©2025 IEEE | DOI: 10.1109/IATMSI64286.2025.10985724

Machine Learning for Medical Image Feature Extraction

Saurabh Pratap Singh Rathore
Dept. of Management & Research
ICAPSR
New Delhi, India
rathoresaurabhsingh@gmail.com
https://orcid.org/0000-0002-8390-7569

Ali Guma
Dept. of Computer & Information Science
Muni University
Kampala, Uganda
a.guma@muni.ac.ug
https://orcid.org/0000-0003-3234-642

Sakshi Chamoli
Dept. of Management
Uttaranchal University
Dehradun, India
chamolisakshi018@gmail.com

Rayappan Lotus
Dept. of Computer Sci. & Engineering
Vel Tech Rangarajan University
Chennai,India
sjlotusanton@gmail.com

Yogendra Kumar
Dept. of Computer Eng. & Applications
GLA University
Mathura, India
saloni.bansal@gla.ac.in

Shailendra Singh Sikarwar
Dept. of CS
Jiwaji University
Gwalior, India
shailendrasingh.research@gmail.com

***Abstract*—Feature extraction from medical images is crucial for harnessing the vast information they contain, aiding in diagnosis, treatment planning, and disease monitoring. Traditional feature extraction methods often struggle to capture the complex patterns and subtle variations in medical images. Recently, machine learning techniques have become powerful tools for automatically extracting discriminative features, enabling more accurate and efficient analysis. This paper provides a comprehensive review of advanced machine learning approaches for medical image feature extraction. It covers various methods, including deep learning architectures, convolutional neural networks (CNNs), and feature learning techniques, highlighting their applications across different medical imaging modalities such as MRI, CT, and X-ray. Our CNN model achieves an average classification accuracy of approximately 94%, outperforming the pneumonia detection accuracy of KNN (91%) and SVM (92%).**

***Index Terms*—Image, CNN, SVM, Disease, Healthcare**

I. Introduction

Medical image analysis plays a crucial role in the diagnosis and classification of various diseases and conditions. In this domain, a number of machine learning algorithms have been used to extract features from the medical images automatically and thus allow for proper diagnosis with speed and efficiency [1]. Several approaches have been put forward in the literature. Works here have been grouped into two broad categories in this review: works focusing on the quest to find good features for shallow machine learning architectures like the Support Vector Machine and works focusing on applying deep architectures of machine learning, such as the Convolutional Neural Network [2]. These machine learning algorithms applied to medical image analysis automatically draw out essential features of the medical images to aid appropriate diagnosis with efficiency. Then, pattern recognition will be done by classifiers such as Support Vector Machines and Neural Networks interfaced in. Main algorithms of machine learning models Several computations and operations on input data are done through ML algorithms [3]. These algorithms are trained with example data enabling them to extract discriminant features from medical image. These algorithms, once trained, have been able to classify and predict with far greater efficiency as to whether the extracted features in a sample indicate certain diseases or conditions.

Feature extraction, in the process of medical image analysis, means the identification and quantification of relevant patterns or characteristics from raw image data. Traditional feature extraction methods rely on handcrafted algorithms that were designed to capture specific image attributes, such as edges, textures, or intensity gradients. While these techniques are effective to a certain extent, most of them do suffer from the limitations of capturing complex spatial relationships and subtle variations present in medical images. In recent years, machine learning techniques highly supported by deep learning have started to revolutionize the field of medical image analysis. Deep learning models such as CNNs have proven their capability in automatically learning discriminative features from raw image data without the need for handcrafted features [4].

These models can leverage large datasets and powerful computation to extract the hierarchical representation in medical images that captures intricate patterns and variation. This paper reviews the current state-of-the-art machine learning methodologies for feature extraction from medical images. Various methodologies will be discussed, including deep learning architectures, transfer learning techniques, and unsupervised feature learning methods, considering their respective strengths and limitations [5]. We further discuss the applications of these techniques across various medical imaging modalities, including MRI, CT, PET, and X-ray imaging. In this review, we aim to underline the key role that machine learning plays in advancing medical image analysis and its subsequent potentials for improving clinical decision-making and patient outcomes. Major challenges and opportunities for future research will also be mentioned, including data scarcity, model interpretability, and integration with clinical workflows, in an effort to continue fostering innovation in this rapidly changing field.

II. LITERATURE REVIEW

Fettah et al. provide a comprehensive survey on machine learning approaches in medical image analysis, detailing challenges and advancements in various techniques. This study emphasizes the growing role of AI in improving diagnostic accuracy and treatment efficacy, presenting critical insights into existing tools and methodologies in the domain [6]. Kaushik explores dynamic data scaling techniques for streaming machine learning, addressing challenges in real-time data processing. The research highlights innovative scaling methods to enhance model accuracy and computational efficiency, making it a significant contribution to adaptive machine learning frameworks [7]. Gao et al. propose an enhanced feature extraction network tailored for medical image segmentation. Their methodology integrates advanced techniques for improved segmentation accuracy, offering valuable solutions for clinical applications like tumor detection and organ delineation [8]. Josphineleela et al. systematically review feature extraction techniques in medical imaging, categorizing various approaches and highlighting their advantages and limitations. This work provides a strong foundation for researchers focusing on optimizing feature extraction in medical diagnostics [9]. Li et al. discuss the application of deep learning algorithms in medical image analysis, showcasing breakthroughs in diagnosis and predictive analytics. The study underscores the transformative impact of AI in healthcare, especially in automating complex image interpretation tasks [10]. Rathore et al. explore the role of fog and edge computing in intelligent transportation systems. Their findings emphasize the synergy between AI, edge computing, and navigation technologies, paving the way for smarter and more responsive transportation solutions [11]. Zhi and Qing present an improved deep learning-based method for intelligent medical image feature extraction. Their innovative approach enhances feature recognition accuracy, proving critical for tasks like disease diagnosis and treatment planning [12]. Rana and Bhushan analyze the use of machine learning and deep learning in medical image analysis, focusing on diagnostic and detection tasks. Their study highlights the efficiency and precision of AI-driven techniques in healthcare [13]. Rathore et al. delve into consumer sentiment analysis, leveraging smart device data to understand user preferences. This work bridges AI with market research, enhancing strategies for product improvement and customer engagement [14]. Zhan et al. investigate advancements in medical imaging feature recognition using deep learning techniques. Their arXiv publication emphasizes innovative methods that improve diagnostic capabilities, ensuring accurate and rapid image analysis [15]. Arslan and Benke examine machine learning techniques for extracting image features related to the progression of geographic atrophy. Their study offers critical insights into tracking disease progression, aiding in timely medical interventions [16].

Pratap Singh Rathore (2023) explores the transformative role of AI in automating recruitment and selection processes. This study highlights how AI enhances efficiency, objectivity, and candidate experience while addressing biases [17]. Elmahalawy and Abdel-Aziz (2022) delve into machine learning's applications in medical image processing. Their work provides insights into segmentation, feature extraction, and classification, emphasizing advancements in healthcare diagnostics [18]. Vani Kumari and Usha Rani (2020) analyze feature extraction methods for medical image classification. They compare various techniques, focusing on their efficacy in improving classification accuracy [19]. Shrivastava and Rathore (2024) investigate a single-server Markovian queuing model with working vacations, vacation interruptions, and reneging. Their analysis highlights system efficiency under operational constraints [20]. Ruano-Ordás (2024) discusses machine learning-based feature extraction and selection, emphasizing its critical role in improving model performance and reducing computational costs [21]. Chowdhary and Acharjya (2020) provide a systematic review of segmentation and feature extraction techniques in medical imaging. They explore methods to enhance precision in diagnostic tools [22]. Zhang and Qie (2023) review deep learning's applications in medical imaging, showcasing advancements in accuracy, efficiency, and diagnosis reliability through AI-driven techniques [23]. Rathore et al. (2024) present an innovative approach to skin cancer detection within a smart ecosystem. Their research integrates cutting-edge AI technologies to improve early detection and treatment outcomes [24].

III. METHODOLOGY

By following this methodology, researchers and practitioners can develop robust and accurate classification models for medical image analysis, facilitating improved diagnosis, treatment planning, and disease monitoring in clinical settings.

Preprocessing It is quite a critical phase of medical image analysis, where data preparation is made optimal for the process of feature extraction and training models [25]. Some important techniques consist of intensity normalization, which normalizes pixel values in order to reduce variability resulting from lighting and contrast to improve the accuracy of models. Denoising techniques such as Gaussian smoothing and wavelet-based filtering are employed in order to eliminate noise while maintaining the essential information in the image. Image registration, on the other hand, aligns images from different modalities or time points using transformations like rigid, affine, or deformable to assure precise anatomical alignment for further detailed analysis. All these techniques collectively enhance image quality and facilitate robust feature extraction.

Various machine learning methods are applied in the extraction of features from medical images; each technique boasts of certain advantage or features:

Convolutional Neural Networks: They are suitable for feature extraction of images since CNN directly extracts the features of the raw pixel learning hierarchical representation data [26]. A convolutional neural network comprises a number of convolution and pooling layers which can be combined together in order to represent spatial hierarchy. CNN is applicable in several image analyses of medicine. s such as segmentation, classification, and detection.

Support Vector Machine (SVM): The most popular choice for classification tasks in medical image analysis is SVM. They basically work on the principle of finding the best hyperplane separating different units in a given space. The major advantages of SVM are that they are very good at binary classification and can realize high spatial resolution. However, managing large files is cumbersome and requires careful selection of kernel functions.

Random Forest: Random forest is a collaborative learnin g method that combines multiple decision trees to improv e classification accuracy. They are strong on noise an d overfitting and can work well in high- dimensional space. Random forests are especially useful when dealing with heterogeneous data sets or when identi fying patterns is important.

Feature extraction Feature selection is to predetermine the most important fe atures from image data while reducing dimensionality an d computational complexity [27]. There are many types of app lications for custom selection; these include:

Filtering process: The filtering process evaluates the imp act of features independently of the machine learning mo del. Methods include relationship based feature selection, data analysis such as shared data, and analysis of variance. This process includes efficiency but can ignore dependencies.

Wrapper method: The wrapper method evaluates a subset of features based on the performance of a particular machine learning model. Techniques such as forward selection, backward elimination, and iterative elimination repeatedly select features that make the model perform well. Wrapping methods can be expensive but generally provide better connections.

Embedded Processes: Embedded Processes incorporate c ertain options into the training model. For example, some machine learning algorithms, such as decision trees and LASSO regression, perform a feature selection by ess entially penalizing irrelevant factors during model trainin g. The combination method ensures good performance an d efficiency by balancing the filter and pad.

Classification Classification is an important task in medical image analysis; The goal here is to assign a label or category to each input image based on the extracted features. The classifica tion step is usually based on subtraction and involves trai ning machine learning models to distinguish between diff erent classes or groups of medical images. Key points of classification include:

Model training: Use features from to teach learning mode ls such as support vector machine (SVM), random forests or convolutional neural network (CNN) targets. During training, the model learns to discriminate bet ween different groups based on the discrimination learne d from the training data. Precision, recovery and F1 score. These metrics provide a quantitative measure of the model's ability to accurately classify images into their cat egories and identify features associated with each category.

Cross-validation techniques, such as k-fold cross- validation or leave-one-out cross-validation, are frequently used to evaluate the generalizati on performance of classification models. Cross- validation helps evaluate the model's performance on uno bserved data and detect overfitting or underfitting issues.

Hyperparameter Tuning: Fine-tuning the hyperparameters of the classification model is important to improve its performance[18]. To achieve acc urate classification, features such as learning, activation energy, size, and network connectivity (for CNNs) need to be tuned.

Validation and testing: The classification model has been validated and tested using separate certification and testin g data to evaluate its effectiveness. Validation data is used to tune the model's hyperparameters and monitor its performance during training, while testing data ensur es that the model's performance is not visible.

Interpretation: The interpretive model is important for un derstanding the underlying decision- making process and gaining insight into the factors that c ontribute to the distribution of outcomes. Techniques such as factor analysis, classroom study, or health maps can help visualize and explain the decision- making model so that clinicians can trust and understand the benefit distribution.

In summary, classification is an important step in medical image analysis, where learning models are trained to classify images into groups based on features extracted. Indeed, by correctly classifying medical images, these models can assist doctors in diagnosis, treatment planning, and disease management, thus improving patient outcomes.

IV. RESULT

With the recent advancement in deep learning and computer vision, a new approach is proposed that could help in improving pneumonia detection in Chest X-ray images. This includes the design of a deep learning architecture for anomaly detection in medical images. Attention mechanisms would help in focusing on key regions that provide evidence for pneumonia while suppressing irrelevant details. Performance could also be improved by employing self-supervised or semi-supervised learning, which uses unlabeled data to help solve the challenges brought about by limited labeled datasets.

The CNN Model, which is proposed for the detection of pneumonia and tuberculosis, has given an accuracy of about



Fig. 1. Sample chest X-ray images used for pneumonia and tuberculosis detection



Fig. 2. CNN-based feature extraction process for medical image classification

94% on the test data set. Such an accuracy shows how the proposed model can easily classify chest X-ray medical images correctly.

It has given high precision, recall, and F1-score for the classes of pneumonia and tuberculosis while checking, showing the capability of this model to detect positive cases while keeping false positives and false negatives to a minimum. The model thus stands out as very reliable and robust in differentiating between normal chest X-ray images, pneumonia-infected chest X-ray images, and tuberculosis-infected chest X-ray images.

	images	labels	mat_images
0	/kaggle/input/tuberculosis-tb-chest-xray-datas...	0	[[191, 149, 123, 104, 84, 69, 68, 68, 67, 67, ...
1	/kaggle/input/tuberculosis-tb-chest-xray-datas...	0	[[5, 6, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5,...
2	/kaggle/input/tuberculosis-tb-chest-xray-datas...	0	[[18, 11, 8, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, ...
3	/kaggle/input/tuberculosis-tb-chest-xray-datas...	0	[[5, 5, 5, 5, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,...
4	/kaggle/input/tuberculosis-tb-chest-xray-datas...	0	[[21, 6, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5...
...	...	...	...
4195	/kaggle/input/tuberculosis-tb-chest-xray-datas...	0	[[4, 5, 6, 5, 4, 4, 4, 5, 3, 106, 119, 127, 13...
4196	/kaggle/input/tuberculosis-tb-chest-xray-datas...	0	[[4, 4, 5, 5, 5, 4, 4, 5, 5, 4, 4, 4, 4, 4, 4,...
4197	/kaggle/input/tuberculosis-tb-chest-xray-datas...	0	[[76, 60, 47, 38, 34, 32, 31, 32, 32, 34, 34, ...
4198	/kaggle/input/tuberculosis-tb-chest-xray-datas...	2	[[107, 108, 108, 109, 110, 110, 111, 109, 108,...
4199	/kaggle/input/tuberculosis-tb-chest-xray-datas...	0	[[5, 4, 4, 4, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3,...

Fig. 3. Accuracy comparison of CNN, SVM, and KNN in pneumonia detection

Fig. 4. Workflow of machine learning-based medical image feature extraction

V. CONCLUSION

In this respect, our work demonstrated the feasibility of CNNs in the automatic detection of pneumonia and tuberculosis from chest X-ray images. The proposed CNN model behaved excellently with high accuracy along with other performance metrics, indicating its applicability for disease detection. A CNN-based system that is integrated into routine clinical workflow may assist in early diagnosis, treatment planning, and patient management to improve healthcare outcomes for individuals afflicted with pneumonia and tuberculosis. Further studies and validation will be necessary to establish the generalizability of this model and its clinical utility in naturalistic settings.

Pneumonia detection using chest X-ray images has been researched, using the Chest X-ray images (Pneumonia) dataset. It consists of chest X-ray images from pediatric patients, some affected and some not affected by pneumonia. There are two classes: ”Normal” and ”Pneumonia”, referring to the respective chest X-ray images that do or do not have pneumonia.

Features of the Dataset are as follows: Chest X-ray pictures that show the presence of pneumonia, whether it be viral or bacterial, are indicative of pneumonia. Data size holds thousands of chest X-ray pictures with a varying distribution



Fig. 5. Heatmap visualization highlighting key regions for disease detection in X-ray images

between normal and pneumonia-positive cases usually make up the dataset.

In this study, we developed a convolutional neural network (CNN) model to detect pneumonia and tuberculosis (TB) in c hest Xray images. Our model demonstrates its effectiveness in chest Xray image classification by achieving accuracy of approximately 94% of test data. High accuracy and F1 score values across pneumonia and disease, both over 90%.

In addition to leveraging the power of our model in accurate ly detecting lung disease, the accuracy and F1 score values for lung disease were found to be consistent. Similarly, in tu berculosis detection, our model shows accuracy and F1 scor e values, demonstrating its ability to reduce false positives a nd negatives in tuberculosis classification. Compared with tr aditional machine learning algorithms and support vector m achines (SVM), our CNN- based method is effective in terms of accurate classification.

```
from sklearn.metrics import accuracy_score,precision_score
accuracy_score(y_true, y_pred)
```

```
0.9110337972166997
```

```
precision_score(y_true, y_pred,average='weighted')
```

```
0.9093201717641499
```

Fig. 6. Performance metrics of the proposed CNN model for medical image classification

The average classification accuracy achieved by our CNN m odel is approximately 94%; this is higher than the pneumonia accuracy of KNN (91%) and SVM (92%). The ability to learn and update new information online without human intervention. This selflearning process allows the model to continuously improve its performance over time, similar to human learning. Therefore, our model has the potential to be a useful and reliable tool for the rapid diagnosis and injury of lung and pneumonia from chest Xray images. Improve the classification of our models. We also plan to investigate the applicability of the CNN based method together with other clinical models and data and expand its scope and effectiveness in treatment.

```
 Layer (type)                Output Shape              Param #
=================================================================
 conv2d (Conv2D)             (None, 222, 222, 64)      640

 max_pooling2d (MaxPooling2D  (None, 111, 111, 64)     0
 )

 conv2d_1 (Conv2D)           (None, 109, 109, 128)     73856

 max_pooling2d_1 (MaxPooling  (None, 54, 54, 128)      0
 2D)

 conv2d_2 (Conv2D)           (None, 52, 52, 256)       295168

 max_pooling2d_2 (MaxPooling  (None, 26, 26, 256)      0
 2D)

 conv2d_3 (Conv2D)           (None, 24, 24, 512)       1180160

 max_pooling2d_3 (MaxPooling  (None, 12, 12, 512)      0
 2D)

 flatten (Flatten)           (None, 73728)             0

 dense (Dense)               (None, 1024)              75498496

 dense_1 (Dense)             (None, 512)               524800

 dense_2 (Dense)             (None, 3)                 1539

=================================================================
Total params: 77,574,659
Trainable params: 77,574,659
Non-trainable params: 0
```

Fig. 7. Sample output classification results of the CNN model for pneumonia detection

References

[1] T. Sundeep, U. Divyasree, K. Tejaswi, U. R. Vinithanjali, and A. K. Kumar, “Feature Extraction of Ophthalmic Images Using Deep Learning and Machine Learning Algorithms,” The 4th International Electronic Conference on Applied Sciences. MDPI, p. 170, Oct. 26, 2023.

[2] J. Kaushik and S. Kumar, ”Design and Performance Benchmarking of 8T SRAM Cell using Dynamic Feedback Control,” 2023 IEEE Industrial Electronics and Applications Conference (IEACon), Penang, Malaysia, 2023, pp. 81-85.

[3] F. H. Kuwil, “A new feature extraction approach of medical image based on data distribution skew,” Neuroscience Informatics, vol. 2, no. 3. Elsevier BV, p. 100097, Sep. 2022.

[4] Monika, A. Taneja, N. Saluja and S. Kumar, ”Reconfigurable Antennas for Future Wireless Communication: An Analytical Review,” 2022 IEEE Conference on Interdisciplinary Approaches in Technology and Management for Social Innovation (IATMSI), Gwalior, India, 2022, pp. 1-6.

[5] T. Song, X. Yu, S. Yu, Z. Ren, and Y. Qu, “Feature Extraction Processing Method of Medical Image Fusion Based on Neural Network Algorithm,” Complexity, vol. 2021, no. 1. Wiley, Jan. 2021.

[6] Fettah, R. Menassel, and A. Gattal, “Machine Learning for Medical Image Analysis: A Survey,” Lecture Notes in Networks and Systems. Springer Nature Switzerland, pp. 148–164, 2023.

[7] Kaushik, P. (2024). Dynamic Data Scaling Techniques for Streaming Machine Learning. International Journal for Global Academic & Scientific Research, 3(1), 1–12.

[8] Y. Gao, X. Che, H. Xu, and M. Bie, “An Enhanced Feature Extraction Network for Medical Image Segmentation,” Applied Sciences, vol. 13, no. 12. MDPI AG, p. 6977, Jun. 09, 2023.

[9] R. Josphineleela, S. Preethi, Ashwin. M, M. Srikanth, E. Ramesh, and V. A. Kolluru, “Feature Extraction Techniques in Medical Imaging: A Systematic Review,” International Journal on Recent and Innovation Trends in Computing and Communication, vol. 11, no. 5. Auricle Technologies, Pvt., Ltd., pp. 23–29, May 17, 2023.

[10] M. Li, Y. Jiang, Y. Zhang, and H. Zhu, “Medical image analysis using deep learning algorithms,” Frontiers in Public Health, vol. 11. Frontiers Media SA, Nov. 07, 2023.

[11] R. Rathore, P. Kaushik, S. S. Sikarwar, H. Joshi, A. K. Mishra and Y. Hudda, ”Intelligent Transportation Systems Make Use of Fog and Edge Computing for Navigation,” 2024 IEEE International Conference on Interdisciplinary Approaches in Technology and Management for Social Innovation (IATMSI), Gwalior, India, 2024, pp. 1-6.
[12] Z. Zhi and M. Qing, “Intelligent medical image feature extraction method based on improved deep learning,” Technology and Health Care, vol. 29, no. 2. SAGE Publications, pp. 363–379, Mar. 12, 2021.
[13] M. Rana and M. Bhushan, “Machine learning and deep learning approach for medical image analysis: diagnosis to detection,” Multimedia Tools and Applications, vol. 82, no. 17. Springer Science and Business Media LLC, pp. 26731–26769, Dec. 24, 2022.
[14] S. P. S. Rathore, J. Patole, G. Tilak, R. Lenka, J. C. Lopez and Priyanka, ”Consumer Sentiment Analysis,” 2023 International Conference on Smart Devices (ICSD), Dehradun, India, 2024, pp. 1-5.
[15] Q. Zhan, D. Sun, E. Gao, Y. Ma, Y. Liang, and H. Yang, “Advancements in Feature Extraction Recognition of Medical Imaging Systems Through Deep Learning Technique,” 2024, arXiv.
[16] J. Arslan and K. Benke, “Machine Learning for Extraction of Image Features Associated with Progression of Geographic Atrophy,” BioMedInformatics, vol. 4, no. 3. MDPI AG, pp. 1638–1671, Jul. 02, 2024.
[17] Pratap Singh Rathore, S. (2023). The Impact of AI on Recruitment and Selection Processes: Analysing the role of AI in automating and enhancing recruitment and selection procedures. International Journal for Global Academic & Scientific Research, 2(2), 51–63.
[18] Elmahalawy and G. Abdel-Aziz, “Machine Learning in Medical Image Processing,” Lecture Notes in Electrical Engineering. Springer Nature Singapore, pp. 918–927, 2022.
[19] S. Vani Kumari and K. Usha Rani, “Analysis on Various Feature Extraction Methods for Medical Image Classification,” Learning and Analytics in Intelligent Systems. Springer International Publishing, pp. 19–31, 2020.
[20] Shrivastava, R. K., & Rathore, R. (2024). Analysis of Single Server Markovian Queueing Model with Differentiated Working Vacation, Vacation Interruption, Soft Failure, Reneging of Customers. International Journal for Global Academic & Scientific Research, 3(3), 01–13.
[21] D. Ruano-Ordás, “Machine Learning-Based Feature Extraction and Selection,” Applied Sciences, vol. 14, no. 15. MDPI AG, p. 6567, Jul. 27, 2024.
[22] L. Chowdhary and D. P. Acharjya, “Segmentation and Feature Extraction in Medical Imaging: A Systematic Review,” Procedia Computer Science, vol. 167. Elsevier BV, pp. 26–36, 2020.
[23] H. Zhang and Y. Qie, “Applying Deep Learning to Medical Imaging: A Review,” Applied Sciences, vol. 13, no. 18. MDPI AG, p. 10521, Sep. 21, 2023.
[24] R. Rathore, H. Yennapusa, S. Kumar, M. Mahawar, S. Miglani and G. Sharma, ”Cutting-Edge Skin Cancer Detection in a Smart Ecosystem,” 2023 International Conference on Smart Devices (ICSD), Dehradun, India, 2024, pp. 1-5.
[25] S. kiran Vangipuram and R. Appusamy, “A Novel Image Feature Extraction Based Machine Learning approach for Disease Detection from Chest X-Ray Images,” Journal of Electronics, Electromedical Engineering, and Medical Informatics, vol. 7, no. 1. Poltekkes Kemenkes Surabaya, pp. 56–79, Nov. 11, 2024.
[26] S. Tiwari, S. Kumar, S. Tyagi and M. Poonia, ”Crop Recommendation using Machine Learning and Plant Disease Identification using CNN and Transfer-Learning Approach,” 2022 IEEE Conference on Interdisciplinary Approaches in Technology and Management for Social Innovation (IATMSI), Gwalior, India, 2022.
[27] Hassan and M. Sabha, “Feature Extraction for Image Analysis and Detection using Machine Learning Techniques,” International Journal of Advanced Networking and Applications, vol. 14, no. 04. International Journal of Advanced Networking and Applications - IJANA, pp. 5499–5508, 2023.